

# Mobile Speakerphone P710e Product Info & Specs

Product Information		
Component	Model Number (M/N)	S/N Location
Speakerphone	S-00127	Underneath speakerphone
General Product Information		
Intended Use	PC / USB audio, Laptop / USB audio, Bluetooth (Wireless)	
Connection Type	Bluetooth	
Wireless Protocol	Bluetooth 3.0	
Wireless Range	Up to 30 feet or 10 meters	
Bluetooth Profiles	A2DP, AVRCP, HFP	
Software Support (at release)	No software needed	
OS Support (at release)	<ul style="list-style-type: none"> <li>Windows Vista, 7, 8</li> <li>Linux Kernel</li> <li>Mac OS 10.6 and later</li> </ul>	
Package Contents	Speakerphone, Product-specific documentation, Phone spacer, Travel case	
Speaker Specifications		
Speaker Type	1.0	
Connection Type - Input	USB (For power/charging only)	
Audio Output	Headphone	
USB VID_PID	0x046D_0x0A4E	
USB Protocol	USB 2.0	
USB Speed	High-speed	

Speaker Specifications	
Power Rating (RMS)	1.5 Watts
Driver Size	0.75 inches
Sound Pressure Level (SPL Max)	>84dB @ 1m/1W
Frequency Response	140 Hz to 16 kHz
Signal-to-Noise Ratio (SNR)	Not available
Input Impedance	Not available
Indicator Lights (LED)	Battery, Power, Bluetooth connection, Volume up/down, mute
LCD Display	None
Touch Controls	Yes
Audio Controls (Speaker)	Power On/Off, Volume control, Mute, Call Answer/End, Bluetooth Connect
Battery Details	<ul style="list-style-type: none"> <li>• Rechargeable</li> <li>• Non-accessible</li> <li>• Size: Proprietary</li> <li>• Quantity: 1</li> <li>• Type: Li-Ion</li> </ul>
Battery Life (rechargeable)	<ul style="list-style-type: none"> <li>• Recharge time: 3 hours (estimated)</li> <li>• Discharge time: Up to 15 hours</li> </ul>
Power Adapter	Yes (5.1V, 1A)
Cable Length	2.08 feet or 0.63 meters
Microphone	Yes
Microphone Specifications	
Microphone Type	Built-in
Noise Canceling	Yes

## Microphone Specifications

Frequency Response	50 Hz to 8 kHz
Sensitivity	Not available